7

Serial No.: 09/955,146 Docket No. 289765/00

NEC.210

**AMENDMENTS TO THE CLAIMS:** 

Please amend the claims as follows:

1. (Currently Amended) An image transmission system, comprising:

a client comprising:

an image request section that requests transmission of image data;

an output instruction section that instructs output of an image data file of a

general purpose format; and

an output section that outputs the image data file of the general purpose format

designated as an output file;

a server comprising:

high-resolution data as the image data file to be transmitted;

a watermark insertion section that forms low-resolution data as the general

purpose format file of the image data, to and which provides an electronic watermark to the

low-resolution data, the electronic watermark specifying is given to specify the high-

resolution data as watermark information whose resolution is reduced relative to said high-

resolution data; and

a distribution section that transmits the high-resolution data, the low-resolution

data, and a data selection program that allows the client to execute a watermark detection

processing, wherein said data selection program allows the client to detect existence of the

electronic watermark of the low-resolution data whose output is instructed, to specify the

high-resolution data from the watermark information and to designate the high-resolution

data as the output file when the watermark information is detected, and the low-resolution

data is designated as the output data when the watermark information is not detected; and

Serial No.: 09/955,146

Docket No. 289765/00

**NEC.210** 

a network that connects the client and the server.

2. (Original) The image transmission system according to Claim 1, wherein said server

8

further secretly holds a secret key that encodes said high-resolution data,

said client further comprises a decoding section that decodes the encoded high-

resolution data,

said distribution section distributes said low-resolution data, the encoded high-

resolution data which is made by encoding said high-resolution data, said data selection

program and said secret key to the client via the network, when the client requests

transmission of the image data file, and

said data selection program allows said decoding section to decode said encoded high-

resolution data by using said secret key, when the electronic watermark is detected in the

client.

3. (Currently Amended) The image transmission system according to Claim 2, wherein

said server further includes a verification section that distributes said secret key when the

client who requests purchasing of data is verified to be include a right proper decoder of for

the encoded high-resolution data,

said distribution section distributes said low-resolution data, the encoded high-

resolution data and said data selection program to the client via the network, when the client

requests transmission of the image data file, and

said data selection program allows said client to be subject to an instrument

verification by said verification section, when the electronic watermark is detected in the

client, and allows the decoding section to decode said encoded high-resolution data by using

Serial No.: 09/955,146

Docket No. 289765/00

**NEC.210** 

said secret key, when the client is verified to be the right proper decoder of the encoded high-resolution data to receive the data.

9

4. (Currently Amended) The image transmission system according to Claim 2, wherein said watermark insertion section further inserts the electronic watermark having the secret key as a watermark information, and

said data selection program allows the client to obtain said secret key as one of extracted watermark information and allows the decoding section to decode the encoded high-resolution data by using said secret key, when the electronic watermark is detected in the client.

(Currently Amended) An image transmission method, comprising the steps of: forming low-resolution data as a general purpose format file of image data by a server, and to which an electronic watermark is given to specify provided, the electronic watermark specifying high-resolution data as watermark information information, whose resolution is reduced relative to said high-resolution data being an image data file to be transmitted;

requesting transmission of the image data file by a client connected with the server via a network; and

transmitting a program in which the server allows the client to detect the highresolution data, the low-resolution data, and existence of the electronic watermark of the lowresolution data whose output is instructed, and the program that allows the client to execute a
watermark detection processing process of specifying the high-resolution data from said
watermark information to designate the high-resolution data as an output file when the

10

Serial No.: 09/955,146 Docket No. 289765/00

**NEC.210** 

electronic watermark is detected and designating the low-resolution data as the output file when the electronic watermark is not detected.

6. (Currently Amended) A recording medium, wherein a program is recorded such that a server is enabled to read the program that allows said server connected with a client who requests transmission of an image data file via a network to execute a processing process of forming low-resolution data as a general purpose format file of image data to which an electronic watermark is given to specify provided, the electronic watermark specifying high-resolution data as watermark information whose resolution is reduced relative to the high-resolution data being an image data file to be transmitted, and to execute a processing process of transmitting a program in which the server allows the client to detect the high-resolution data, the low-resolution data, and existence of the electronic watermark of the low-resolution data whose output is instructed, and the program that allows the client to execute a watermark detection processing process of specifying the high-resolution data from said watermark information to designate the high-resolution data as an output file when the electronic watermark is detected and designating the low-resolution data as the output file when the electronic watermark is not detected.